

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (currently amended) A conditioning liquid laundry composition with improved particulate soil cleaning comprising:

- a. at least ~~about~~ 5 % of at least one anionic surfactant;
- b. about 0.01 % to ~~about~~ 5 % of at least one amphiphilic carboxy containing polymer;
- c. about 0.05 % to about 3 % of polyvinylpyrrolidone polymer; and
- d. at least one cationic conditioning polymer.

Wherein said composition comprises less than 10 % phosphate.

2. (currently amended) The composition according to claim 1, wherein the Softening Parameter is greater than ~~about~~ 70.

3. (original) The composition according to claim 1, wherein said amphiphilic carboxy containing polymer is an anionic polyacrylate polymer.

4. (original) The composition according to claim 1, wherein said cationic polymer is selected from the group consisting of dimethyl diallyl ammonium chloride/acrylamide copolymer, dimethyl diallyl ammonium chloride/acrylic acid/acrylamide terpolymer, vinylpyrrolidone/methyl vinyl imidazolium chloride copolymer, polydimethyl diallyl ammonium chloride, starch hydroxypropyl trimmonium chloride, polymethacryl amidopropyl trimethyl ammonium chloride, acrylamidopropyl trimmonium chloride/acrylamide copolymer, guar hydroxypropyl trimonium

chloride, hydroxyethyl cellulose derivatized with trimethyl ammonium substituted epoxide, and mixtures thereof.

5. (currently amended) The composition according to claim 1, wherein said cationic polymer has a molecular weight of less than ~~about~~ 850,000 daltons.

6. (original) The composition according to claim 1, wherein said anionic surfactant is selected from the group consisting of alkali and alkaline earth metal salts of fatty carboxylic acids, alkali and alkaline earth metal salts of alkylbenzene sulfonates, and mixtures thereof.

7. (original) The composition according to claim 6, wherein the composition comprises at least 4% of an alkali or alkaline earth metal salt of one or more fatty carboxylic acids.

8. (currently amended) The composition according to claim 1, wherein said cationic polymer and said anionic surfactant are present at a ratio of less than ~~about~~ 1:4.

9. (original) The composition according to claim 1, wherein the composition is a detergent or fabric softener.

10. (currently amended) The composition according to claim 1, having a delta E of less than ~~about~~ 12.

11. (original) The composition according to claim 1 which is substantially free of precipitation.

12. (original) A method for conditioning and cleaning textiles comprising, in no particular order:

- a. providing a laundry detergent or fabric softener composition according to claim 1;
- b. contacting one or more articles with the composition at one or more points during the laundering process; and
- c. mechanically tumble-drying or allowing the articles to dry.

13. (currently amended) The method according to Claim 12, having a Softening Parameter greater than ~~about~~ 70.

14. (original) The method according to claim 12, wherein said cationic polymer is selected from the group consisting of dimethyl diallyl ammonium chloride/acrylamide copolymer, dimethyl diallyl ammonium chloride/acrylic acid/acrylamide terpolymer, vinylpyrrolidone/methyl vinyl imidazolium chloride copolymer, polydimethyl diallyl ammonium chloride, starch hydroxypropyl trimmonium chloride, polymethacryl amidopropyl trimethyl ammonium chloride, acrylamidopropyl trimmonium chloride/acrylamide copolymer, guar hydroxypropyl trimonium chloride, hydroxyethyl cellulose derivatized with trimethyl ammonium substituted epoxide, and mixtures thereof.

15. (currently amended) The method according to claim 12, wherein said cationic polymer has a molecular weight of less than ~~about~~ 850,000 daltons.

16. (original) The method according to claim 12, wherein said anionic surfactant is selected from the group consisting of alkali and alkaline earth metal salts of fatty carboxylic acids, alkali and alkaline earth metal salts of alkylbenzene sulfonates, and mixtures thereof.

17. (original) The method according to claim 15, wherein the composition comprises at least 4% of an alkali or alkaline earth metal salt of one or more fatty carboxylic acids.

18. (currently amended) The method according to claim 12, wherein said cationic polymer and said anionic surfactant are present at a ratio of less than ~~about~~ 1:4.

19. (original) The method according to claim 12, wherein the composition is a detergent or fabric softener.

20. (currently amended) The ~~composition~~ method according to claim 12, wherein said amphiphilic carboxy containing polymer is an anionic polyacrylate polymer.